

WORKPLACE UP TO DATE

Valid till 31.03.2019

MADE  
IN  
GERMANY

EXPRESS  
72h

FE  
100 kg  
100%

## Drawer cabinet

9 drawers  
Drawers with full extension  
100%, load capacity 100 kg

Ref. No. 700/1710V10A

More information s. page 3



50 FE  
100 FE  
100 FE  
100 FE  
100 FE  
100 FE  
100 FE  
100 FE  
150 FE

## Workbench

8 drawers  
Drawers with full extension  
100%, load capacity 100 kg

Ref. No. 03.14.18VA



150 FE  
150 FE  
150 FE  
150 FE  
75 FE  
125 FE  
200 FE  
200 FE

... more work space

# Content

Products of the front page	page 3
Drawer cabinets	page 4
CNC-tool storing systems	page 8
Workbenches and workstations	page 11
Mobile logistic-systems	page 24
Chairs, computer cabinets	page 29
Racks, Flex-Box, Cabinet with hinged doors, lockers	page 30
Tool Server Modular (TSM®)	page 32

## Standard colors

- Environment-friendly powder-coating, 2-tone-combinations without supplement
- Please, indicate the colour/colours in your order. When not indicated, we deliver the product in the standard color light grey ( 7035) and light blue (RAL 5012)**

<b>RAL 1023</b> Verkehrsgelb	<b>RAL 3003</b> Rubinrot	<b>RAL 3020</b> Verkehrsröt	<b>RAL 5010</b> Enzianblau	<b>RAL 5012</b> Lichtblau	<b>RAL 5013</b> Kobaltblau	<b>RAL 6011</b> Resedagrün	<b>RAL 7016</b> Anthrazitgrau	<b>RAL 7035</b> Lichtgrau	<b>RAL 7040</b> Fenstergrau	<b>RAL 9005</b> Tiefschwarz
---------------------------------	-----------------------------	--------------------------------	-------------------------------	------------------------------	-------------------------------	-------------------------------	----------------------------------	------------------------------	--------------------------------	--------------------------------

## Drawer extension



All drawers depth 736 fitted with full extension 100 %

- Drawers with front height 50 mm - load capacity 70 kg**
- Drawers with front height 75 mm - load capacity 100 kg**
- Ball guided rails

## Express 72 h



Dispatch within 72 hours in standard colours according to the pictures

## Certificate



**TÜV-GS-certificate for all drawer cabinets in depth 736 mm**

## Upgrade: Electronic locking system

- Electronic user panel 0-9 (ABS)
- Electromechanical knob
- Battery (3 x AAA Alkaline)
- Master-/Usercode (4-12-digit)



Ref.no.	Amount (unit)
ML32HPVH1A	1

# PRODUCTS OF THE FRONT PAGE

- Drawers with full extension 100%
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Ball guided rails
- Anti-tilt device

50 FE  
100 FE  
100 FE  
100 FE  
100 FE  
100 FE  
100 FE  
100 FE  
100 FE  
150 FE




## Drawer cabinet R 24-24

- 9 x drawers

Ref.no.	Dimensions (W x D x H) mm
700/1710V10A	705 x 736 x 1019

EXPRESS  
72h

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Worktop in beech multiplex 40 mm



## left: 4 x drawers | right: 4 x drawers Multi-Board

- 2 x Uprights 650 mm high, 2 x perforated panels 1500 x 302 mm
- 1 x inclined shelf 1500 x 220 mm

kg  
1000

EXPRESS  
72h

Ref.no.	Dimensions (W x D x H) mm
03.14.18VA	Workbench, 1500 x 750 x 859
03.14.18V9A	Workbench, 1500 x 750 x 959
03.900.15.18A	Multi-Board*

\*according to photo incl. Small parts boxes and hooks, without tools

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Ball guided rails
- Anti-tilt device

PLEASE, SEE  
SPECIAL PRICE  
FOR 2 UNITS




## Pallet truck plinth

- Steel sheet in front and rear screwed
- Including fixing material

Ref.no.	Dimensions (W x D x H) mm
01.070.012A	705 x 736 x 100
01.100.012A	1005 x 736 x 100

EXPRESS  
72h



## Workbench R 18-24 - 1 item

- Worktop in beech multiplex 40 mm
- Shelf in half depth

Ref.no.	Dimensions (W x D x H) mm	Packaging Unit
03.14.32VA	1500 x 750 x 859	1 item
		2 item

### Drawer cabinets depth 736 | 705 x 736 x 819 mm (W x D x H) | R 24-24

- Drawers with full extension 100%
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Ball guided rails
- Anti-tilt device



- 5 x drawers

Ref.no.  
780/0221V10A



- 6 x drawers


Ref.no.  
780/1311V10A



- 7 x drawers


Ref.no.  
780/0700V10A

### 705 x 736 x 919 mm (W x D x H)



- 6 x drawers


Ref.no.  
790/1131V10A



- 8 x drawers

Ref.no.  
790/0800V10A

### 705 x 736 x 1319 mm (W x D x H)



- 10 x drawers

Ref.no.  
713/2422V10A


### Accessories for interior dimensions 600 x 600 mm



#### Ribbed rubber inserts

- Front 50-200 mm


Ref.no.  
140A



#### Trough plates

- Front 50-75 mm


Ref.no.  
130A



#### Small parts boxes

- Front 75 - 100 mm

Ref.no.  
132A



#### Small parts boxes

- Front 75 - 100 mm

Ref.no.  
134A



#### Metal dividers

- Front 100 mm

Ref.no.  
139BLH100A

more dividing kits s. page 5 and 21

### Drawer cabinets depth 736 | 705 x 736 x 1019 mm (W x D x H) | R 24-24

- Drawers with full extension 100%
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- Ball guided rails
- Anti-tilt device



■ 6 x drawers

**EXPRESS**  
**72h**

Ref.no.  
700/1131V10A



**BESTSELLER**

■ 6 x drawers

**EXPRESS**  
**72h**

Ref.no.  
700/1122V10A



■ 7 x drawers

**EXPRESS**  
**72h**

Ref.no.  
700/1321V10A



■ 8 x drawers

**EXPRESS**  
**72h**

Ref.no.  
700/2321V10A



■ 9 x drawers

**EXPRESS**  
**72h**

Ref.no.  
700/0900V10A



■ 9 x drawers

**EXPRESS**  
**72h**

Ref.no.  
700/2223V10A

### Accessories for interior dimensions 600 x 600 mm



**Metal dividers**

- Front 100 mm

Ref.no.  
138BLH100A



**Metal dividers**

- Front 100 mm

Ref.no.  
146BLH100A



**Metal dividers**

- Front 150 mm

Ref.no.  
139BLH150A



**Metal dividers**

- Front 150

Ref.no.  
144BLH150A



**Metal dividers**


- Front 200 mm

Ref.no.  
146BLH200A


More dividing s. page 4 and 21

## Drawer cabinets depth 736 | 1005 x 736 x 1019 mm (W x D x H) | R 36-24

- Drawers with full extension 100%
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 900 x 600 mm
- Ball guided rails
- Anti-tilt device



**BESTSELLER**



- 8 x drawers

Ref.no.

100/2321V10A




- 6 x drawers

Ref.no.

100/0222V10A

## 1005 x 736 x 1019 mm (W x D x H)



- 7 x drawers

Ref.no.

100/1231V10A

## 1005 x 736 x 1519 mm (W x D x H)



- 12 x drawers

Ref.no.

115/0921V10A

## Accessories for interior dimensions 900 x 600 mm




### Trough plates

- Front 50 mm

Ref.no.

150A



### Metal dividers

- Front 100 mm

Ref.no.

153BLH100A



### Metal dividers

- Front 100 mm

Ref.no.

154BLH100A



### Metal dividers

- Front 150 mm

Ref.no.

153BLH150A



### Metal dividers

- Front 200 mm

Ref.no.

166BLH200A

### Drawer cabinets depth 500 | 680 x 500 x 1019 mm (W x D x H) | R 24-16


- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimension: 600 x 400 mm

**BESTSELLER**




■ 6 x drawers

Ref.no.
60.303A



■ 7 x drawers

Ref.no.
60.340A



■ 8 x drawers

Ref.no.
60.701A



■ 9 x drawers

Ref.no.
60.900A

### Accessories for interior dimensions 600 x 400 mm



**Ribbed rubber inserts**

- Front 50-200 mm

Ref.no.
65.068.530A



**Small parts boxes**

- Front 100 mm


Ref.no.
168-132A



**Metal dividers**

- Front 100 mm


Ref.no.
168-139A



**Metal dividers**

- Front 150 mm

Ref.no.
168-135A




**Metal dividers**

- Front 200 mm

Ref.no.
168-144A


### Drawer cabinets depth 500 | 980 x 500 x 1019 mm (W x D x H) | R 36-16

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimension: 600 x 400 mm




■ 6 x drawers

Ref.no.
90.303A



■ 7 x drawers

Ref.no.
90.340A



■ 8 x drawers

Ref.no.
90.701A



■ 9 x drawers

Ref.no.
90.900A

### Accessories for interior dimensions 900 x 400 mm



**Ribbed rubber inserts**

- Front 50-200 mm

Ref.no.
65.098.530A



**Small parts boxes**

- Front 100 mm

Ref.no.
198-132A



**Metal dividers**

- Front 100 mm


Ref.no.
198-139A



**Metal dividers**

- Front 150 mm

Ref.no.
198-136A



**Metal dividers**

- Front 200 mm

Ref.no.
198-144A

# CNC-tool storing systems

## CNC-Bench stands and CNC-Cabinets



### Inserts

- This system is the most flexible available.
- The black plastic inserts are clipped into the heavy gauge steel tool carrier through a series of rebated slots.
- No fasteners are required to locate the inserts which can also be quickly removed by depressing the integral locking lug.

### CNC E1

49 x 103 x 17 mm (W x D x H)
ISO / SK 30
VDI 25
Cyl / VDI 30
MK3
MK4
Capto C 4

### CNC E2

74 x 103 x 17 mm (W x D x H)
SK 40
Cyl / VDI 40
HSK A 50 / B 63
HSK A 63 / B 80
MK 5
Capto C 5

### CNC E3

99 x 103 x 17 mm (W x D x H)
ISO / SK 50
VDI 50
HSK A 32 / B 40
HSK A 40 / B 50
HSK A 80 / B 100
HSK A 100 / B 125
Universal
Capto C 3
Capto C 6
Capto C 8

- 2 x or 4 x cassette, shelf, rubber mat and grips



### CNC- Table rack attachment TAG 2

- with 2 floors incl. inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.2210A	425 x 375 x 300	10/14*	10/10*	6/6*
02.2214A	575 x 375 x 300	14/20*	14/14*	8/10*

EXPRESS  
72h



**BESTSELLER**

### CNC- Table rack attachment TAG 4

- with 4 floors incl. inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.2420A	425 x 375 x 525	20/28*	20/20*	12/12*
02.2428A	575 x 375 x 525	28/40*	28/28*	16/20*

EXPRESS  
72h

- Drawer full extension 100 % (FE)
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawers with front height 300 mm - load capacity 180 kg



### CNC-Drawer cabinet T736 R 24-24

- 4 x drawers
- Including 1 oder 2 CNC frames
- W x D x H: 705 x 736 x 1019 mm
- Drawer interior dimension: 600 x 600 mm

Ref.no.	Version	CNC E1	CNC E2	CNC E3
02.2140/1RVA	1 x drawer frames	35/50*	35/35*	20/25*
02.2140/2RVA	2 x drawer frames	70/100*	70/70*	40/50*

\* 1st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40. Delivery without tools.



02.2118.04/3A

**CNC-double swing doors T500 R 36-16**

- 3 x CNC-tool frames inclined
- 1 x shelf
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.2118.04/3A	980 x 500 x 1838	66/144*	66/99*	45/72*

**CNC-double swing doors T500 R 36-16**

- 4 x CNC-tool frames inclined
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.2118.04A	980 x 500 x 1838	80/192*	80/132*	52/96*



02.289.00A

**CNC-roller shutter cabinet T500 R 36-16**

- Aluminium-Roller
- 4 x CNC frames can be used inclined or flat
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.289.00A	1000 x 500 x 1950	80/192*	80/132*	52/96*

**CNC-roller shutter cabinet T500 R 36-16**

- Aluminium-Roller
- 3 x CNC frames can be used inclined or flat
- 1 x shelf
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.289.01/3A	1000 x 500 x 1950	66/144*	66/99*	45/72*



**CNC-roller shutter cabinet T500 R 36-16**

- Plastic Roller
- 4 x CNC frames can be used inclined or flat
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.295.00A	1000 x 500 x 1950	80/192*	80/132*	52/96*



**CNC-roller shutter cabinet T500 R 36-16**

- Plastic Roller
- 3 x CNC frames can be used inclined or flat
- 1 x shelf
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.295.01/3A	1000 x 500 x 1950	66/144*	66/99*	45/72*

\* 1st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40. Delivery without tools.

# CNC-tool storing systems

## CNC-Transport systems

- Drawer full extension 100 % (FE)
- Drawers with front height 50 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawers with front height 300 mm - load capacity 180 kg



- **CNC-Drawer cabinet T736 R 18-24 mobile**
- 2 x fixed and 2 x swivel wheels ø125 mm. The swivel wheels with brake
- 1 x CNC-drawer frame 450 (SR)
- Incl. CNC-inserts
- Delivery without ribbed rubber inserts



Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.2580.4RVB	555 x 736 x 1005	25/35*	25/25*	15/15*

## Optimal storage and transport



### CNC-Trolley for tool carriers

- 2 x fixed and 2 x swivel wheels ø125 mm. The swivel wheels with brake
- Incl. 6 x CNC-Tol carrier 600
- The carriers at bottom can be ordered separately
- 1 x shelf at the bottom
- Incl. CNC-inserts



Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.288.06A	630 x 900 x 860	42/60*	42/42*	25/30*



### CNC-mobile cabinet

- 2 x fixed and 2 x swivel wheels ø125 mm. The swivel wheels with brake
- 6 x CNC-Tool carrier 600 or 900
- Incl. CNC-inserts

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.285.07A	560 x 630 x 950	30/60*	30/42*	20/30*
02.285.01A	560 x 930 x 950	48/96*	48/66*	34/48*

### CNC-Shed

- Locking with cylinder lock

Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.86.07A	705 x 736 x 1019	—	—	—
02.86.01A	705 x 1003 x 1019	—	—	—



### CNC-Trolley

- 2 x fixed and 2 x swivel wheels ø125 mm. The swivel wheels with brake
- 4 x CNC-wide tool holders 900
- 4 x CNC-narrow tool holders 900
- 1 x top shelf
- Incl. CNC-inserts



Ref.no.	Dimensions (W x D x H) mm	CNC E1	CNC E2	CNC E3
02.58.44A	990 x 610 x 1450	84/192*	84/132*	64/96*

\* 1st figure: quantity of the inserts included type E1 or E2 or E3. 2nd figure: maximum of the inserts possible in the carrier of each type E1 or E2 or E3. Please, mention the tool inserts, without indication we supply ISO/SK 40. Delivery without tools.

# Workbenches and workstations

## Modular workbenches

workbenches and workstations

- Delivered unassembled



### Foot with stepless height adjustment

- Adjustment of 200 mm

EXPRESS  
72h

Ref.no.	Dimensions (W x D x H) mm
03.90.01HVA	150 x 650 x 819 - 1019



### Workbench

- Worktop beech multiplex 40 mm
- 2 x double Feet
- 1 x storage shelf on the bottom in half Depth

kg  
200

EXPRESS  
72h

Ref.no.	Dimensions (W x D x H) mm
03.15.000.2A	1500 x 750 x 859
03.20.000.2A	2000 x 750 x 859



### Workbench

- Worktop beech multiplex 40 mm
- 2 x double Feet
- Adjustable height

kg  
200

EXPRESS  
72h

Ref.no.	Dimensions (W x D x H) mm
03.15.000.4A	1500 x 750 x 859 - 1059
03.20.000.4A	2000 x 750 x 859 - 1059



### Workbench

- Worktop beech multiplex 40 mm
- 2 x double Feet
- 1 x storage shelf on the bottom in half Depth
- Adjustable height

kg  
200

EXPRESS  
72h

Ref.no.	Dimensions (W x D x H) mm
03.15.000.3A	1500 x 750 x 859 - 1059
03.20.000.3A	2000 x 750 x 859 - 1059

## Workbenches and Worktables

- Delivery completely assembled




### Workbench

- Worktop in beech multiplex 40 mm
- Frame 40 x 40 x 2 mm
- Shelf in half depth

kg  
200

Ref.no.	Dimensions (W x D x H) mm
03.14.30A	1500 x 750 x 859
03.19.30A	2000 x 750 x 859

150 FE



### Workbench with drawer block

- Worktop in beech multiplex 40 mm
- Frame 40 x 40 x 2 mm, with insered nuts
- Shelf in half depth
- Drawer block: 1 x drawer 150 mm

kg  
200

Ref.no.	Dimensions (W x D x H) mm
03.14.31VA	1500 x 750 x 859
03.19.31VA	2000 x 750 x 859

# Workbenches and workstations

## 6-fold-workbench

- Drawers with full extension 100% - load capacity 100 kg
- Worktop in beech multiplex 40 mm
- 6 x Drawer cabinets R 18-24 each 5 x drawers
- 6 steel sheets
- Energy ramp separately see below



**BESTSELLER**



100 FE  
100 FE  
150 FE  
150 FE  
200 FE

Ref.no.	Dimensions (W x D x H) mm
03.066.05V10A	2500 x 2165 x 859



### 6-fold energy ramp


- 2 sockets each working place
- Cover in beech multiplex

Ref.no.	Dimensions (W x D x H) mm
03.66.73-2A	822 x 712 x 162

### Steel sheet (without single photo)

- To cover the space between the cabinets

Ref.no.	Version
03.58.20A	Steel sheet



### 6-fold worktop

- Beech multiplex, delivery in 2 parts with connection
- Length each working place 1250 mm

Ref.no.	Dimensions (W x D x H) mm	Version
03.15.66A	2500 x 2165 x 40	6-fold-worktop

**Drawer cabinets T 736 | 555 x 736 x 819 mm (W x D x H) | R 18-24**

- Drawers with full extension 100%
- Drawers with front height 75 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Ball guided rails
- Anti-tilt device



- 4 x drawers

Ref.no.  
580/1111VB



- 7 x drawers

Ref.no.  
580/0700V10A



- with 2 separate locking systems
- Each 3 x drawers

Ref.no.  
580/2.600V10A

**BESTSELLER**



- 6 x drawers

Ref.no.  
580/1311V10A

**EXPRESS**  
**72h**



- 5 x drawers

Ref.no.  
580/0221V10A

**EXPRESS**  
**72h**



- 6 x drawers

Ref.no.  
580/2121V10A

**Accessories for interior dimensions 450 x 600 mm**


More dividing s. page 18 and 19



**Trough plates**

- Front 50-75 mm

Ref.no.  
111A



**Ripped rubber inserts**

- Front 50-200 mm

Ref.no.  
120A



**Small parts boxes**

- Front 100 mm

Ref.no.  
119A



**Metal dividers**

- Front 150 mm

Ref.no.  
113A



**Metal dividers**


- Front 200 mm

Ref.no.  
118A

# Workbenches and workstations

## Modular workbench

- Drawers with full extension 100%
- Drawers with front height 75 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 450/600 x 600 mm
- Modular workbenches: Delivered unassembled



### Modular workbench – individual components

Pos.	Ref.no.	Dimensions (W x D x H) mm	Version
1*	03.15.40B	1500 x 750 x 40	Top beech in multiplex 40 mm
2*	03.20.40B	2000 x 750 x 40	Top beech in multiplex 40 mm
3*	03.90.01B	150 x 650 x 819	Foot 50 x 50 x 2 mm
4	520/1VB	555 x 736 x 208	Drawer block T736 R 18-24, BLH 150 mm, on request also lockable
	520/1BM	–	Additional price with lock (adapted for Ref.no. 520/1B)
5	535/111VB	555 x 736 x 358	Drawer block T736 R 18-24, 1 x drawer 50 mm, 1 x drawer 100 mm, 1 x drawer 150 mm
	535/111BM	–	Additional price with lock (adapted for Ref.no. 535/111B)
6a*	580/0022VB	555 x 736 x 819	Drawer cabinet T736 R 18-24, 2 x drawers 150 mm, 2 x drawers 200 mm
6b	580/1111VB	555 x 736 x 819	Drawer cabinet T736 R 18-24, 1 x drawer 50 mm, 1 x drawer 150 mm, 1 x drawer 200 mm, 1 x drawer 300 mm
7a	780/0022VB	705 x 736 x 819	Drawer cabinet T736 R 24-24, 2 x drawers 150 mm, 2 x drawers 200 mm
7b	780/1111VB	705 x 736 x 819	Drawer cabinet T736 R 24-24, 1 x drawer 50 mm, 1 x drawer 150 mm, 1 x drawer 200 mm, 1 x drawer 300 mm

### Modular workbench T 750 | 1500 /2000 x 750 x 859 mm (W x D x H) | R 18-24



- 1 x drawer not lockable
- Supplement for cylinder lock - see table above
- 3 x drawers not lockable
- Supplement for cylinder lock - see table above

Ref.no.	Dimensions (W x D x H) mm
03.15.520.1VA	1500 x 750 x 859
03.20.520.1VA	2000 x 750 x 859

Ref.no.	Dimensions (W x D x H) mm
03.15.535.2VA	1500 x 750 x 859
03.20.535.2VA	2000 x 750 x 859

**Modular workbench T 750 | 2000 x 750 x 859 mm (W x D x H) | R 18-24/24-24**

- Drawers with full extension 100%, load capacity 100 kg
- Delivered unassembled

**Energy ramp with 2 supports for the worktop**

- Complete with 1 kit with 3 sockets and on/off switch and cable 2m long

Ref.no.	Dimensions (W x D x H) mm
07.861.15.74A	1500 x 60 x 130
07.861.20.74A	2000 x 60 x 130



**Modular workbench R24-24**

- Drawer cabinet 555 mm wide, 4 x drawers

EXPRESS  
72h

Ref.no.	Dimensions (W x D x H) mm
03.15.580.4VA	1500 x 750 x 859
03.20.580.4VA	2000 x 750 x 859



**R24-24**

- Drawer cabinets 705 mm wide, 4 x drawers


Ref.no.	Dimensions (W x D x H) mm
03.20.780.4VA	2000 x 750 x 859

**R18-24**

- Drawer cabinets 555 mm breit, 8 x drawers

EXPRESS  
72h

Ref.no.	Dimensions (W x D x H) mm
03.20.580.20VA	2000 x 750 x 859



**Heavy load table**

- Worktop in beech multiplex 40 mm
- Welded and bolted, from U-sections 75 x 50 x 2 mm
- Adjustable height in a raster of 25 mm
- Delivered unassembled (with mounting instruction)

Ref.no.	Dimensions (W x D x H) mm
03.10.000.6A	1000 x 750 x 734 - 1084
03.15.000.6A	1500 x 750 x 734 - 1084
03.20.000.6A	2000 x 750 x 734 - 1084



# Workbenches and workstations

## Wall hanging cabinets and workbenches

**BESTSELLER**



03.080.001A



03.040.091A



03.080.101A



03.04.191A

### Wall hanging cabinet with door/doors

- with steel sheet in the rear
- 1 shelf

Ref.no.	Dimensions (W x D x H) mm	Version
03.040.091A	400 x 300 x 600	View window door
03.080.091A	800 x 300 x 600	View window doors
03.040.001A	400 x 300 x 600	Metal door
03.080.001A	800 x 300 x 600	Metal doors

### Wall hanging cabinet with door/doors

- with perforated panel in the rear
- 1 shelf

Ref.no.	Dimensions (W x D x H) mm	Version
03.040.191A	400 x 300 x 600	View window door
03.080.191A	800 x 300 x 600	View window doors
03.040.101A	400 x 300 x 600	Metal door
03.080.101A	800 x 300 x 600	Metal doors

## Workbenches

- Drawers with full extension 100%, load capacity 100 kg
- Total load capacity 1000 kg



150 FE

450



150 FE

450



150 FE

150 FE

150 FE

150 FE

### Workbench T736 R 18-24

- Worktop in beech multiplex 40 mm
- 1 x drawer, 1 x hinged door
- Drawer interior dimension: 450 x 600 mm

Ref.no.	Dimensions (W x D x H) mm
03.055.02VA	810 x 750 x 859
03.055.02V9A	810 x 750 x 959

### Workbench T736 R 24-24

- Worktop in beech multiplex 40 mm
- 1 x drawer, 1 x hinged door
- Drawer interior dimension: 600 x 600 mm

Ref.no.	Dimensions (W x D x H) mm
03.075.02VA	810 x 750 x 859
03.075.02V9A	810 x 750 x 959

### Workbench T736 R 24-24

- Worktop in beech multiplex 40 mm
- 4 x drawers
- Drawer interior dimension: 600 x 600 mm

Ref.no.	Dimensions (W x D x H) mm
03.075.04VA	810 x 750 x 859
03.075.04V9A	810 x 750 x 959

**EXPRESS**  
**72h**

## Accessories for interior dimensions 600 x 600 mm



### Ribbed rubber inserts

- Front 50-200 mm

Ref.no.
140A



### Metal dividers

- Front 150 mm

Ref.no.
135A



### Small parts boxes

- Front 100-150 mm

Ref.no.
134A



### Metal dividers

- Front 200 mm

Ref.no.
137A



### Adjustable height

- Adjustable height 200 mm
- For 4 feet in a raster of 25 mm
- Load capacity each workbench 500 kg

Ref.no.
03.15.95A

- Drawers with full extension 100%, load capacity 100 kg
- Total load capacity 1000 kg
- Worktop in beech multiplex 40 mm



R 18-24

- Left: 1 x drawer, 1 x hinged door | right: 1 x drawer, 1 x hinged door
- Drawer interior dimensions: 450 x 600 mm

Ref.no.	Dimensions (W x D x H) mm
03.12.01VA	1250 x 750 x 859
03.12.01V9A	1250 x 750 x 959



R 18-24

- Left: 1 x hinged door, 1 x shelf | right: 4 x drawers
- Drawer interior dimensions: 450 x 600 mm

Ref.no.	Dimensions (W x D x H) mm
03.14.19VA	1500 x 750 x 859
03.14.19V9A	1500 x 750 x 959



R 18-24

- Left: 4 x drawers | right: 3 x drawers
- Drawer interior dimensions: 450 x 600 mm

**Multi-board**

- 2 x Uprights 650 mm high, 2 x perforated panels 2000 x 302 mm
- 1 x inclined shelf 2000 x 320 mm

Ref.no.	Dimensions (W x D x H) mm	Version
03.19.29VA	2000 x 750 x 859	workbench
03.19.29V9A	2000 x 750 x 959	workbench
03.900.20.25A*	2000 x 650	Multi-Board*


**Workbench lifting system**

- Dynamical load max. 450 kg
- Static load max. 1000 kg
- 2 fixed and 2 swivel wheels ø80 mm in polyamide
- Not possible for workbenches with half-shelf
- Only available for workbench height 859 mm
- Not possible for workbenches with semi-shelf

Ref.no.	For workbench wide in mm
03.HUB12075A	1200
03.HUB15075A	1500
03.HUB20075A	2000

\*according to photo incl. small parts boxes and hooks, without tools

Standard colors s. page 2



R 24-24

- Left: 1 x hinged door 600 mm, 1 x shelf
- Right: 4 x drawers
- Delivery without perforated panel
- Drawer interior dimensions: 600 x 600 mm


Ref.no.	Dimensions (W x D x H) mm	Version
03.15.19VA	1500 x 750 x 859	workbench
03.15.19V9A	1500 x 750 x 959	workbench
03.81.103A	1500 x 450	perforated panel (without hooks)



# Workbenches and workstations

## Workbench R 18-24

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimensions: 450 x 600 mm
- Total load capacity 1000 kg
- Delivery completely assembled



Perforated panel  
s. page 18 below

- Worktop in beech multiplex 40 mm
- Left: 1 x shelf in half depth
- Right: 1 x drawer, 1 x hinged door
- Perforated panel with 2 supports (without hooks)



### Set of 31 hooks

Ref.no.

03.82.395A



### Adjustable height

- Adjustable height 200 mm
- For 4 feet in a raster of 25 mm
- Load capacity each workbench 500 kg

Ref.no.

03.15.95A

Ref.no.	Dimensions (W x D x H) mm
03.14.12VA	1500 x 750 x 859
03.19.12VA	2000 x 750 x 859

Ref.no.	Dimensions (W x D x H) mm
03.14.12V9A	1500 x 750 x 959
03.19.12V9A	2000 x 750 x 959

### EXPRESS 72h

- Worktop in beech multiplex 40 mm
- Left: 1 x shelf in half depth
- Right: 3 x drawers



Ref.no.	Dimensions (W x D x H) mm
03.14.14VA	1500 x 750 x 859
03.19.14VA	2000 x 750 x 859

Ref.no.	Dimensions (W x D x H) mm
03.14.14V9A	1500 x 750 x 959
03.19.14V9A	2000 x 750 x 959

### EXPRESS 72h

- Worktop in beech multiplex 40 mm
- Left: 1 x shelf in half depth
- Right: 4 x drawers



Ref.no.	Dimensions (W x D x H) mm
03.14.16VA	1500 x 750 x 859
03.19.16VA	2000 x 750 x 859

Ref.no.	Dimensions (W x D x H) mm
03.14.16V9A	1500 x 750 x 959
03.19.16V9A	2000 x 750 x 959

### Perforated panel

- With 2 x fixing supports for workbench width 1500 mm
- With 3 x fixing supports for workbench width 2000 mm



Ref.no.	Dimensions (W x D x H) mm
03.81.103A	1500 x 450
03.81.104A	2000 x 450

delivery without hooks

### Ribbed rubber inserts

Front 50-200 mm

Ref.no.

120A



### Non-slip mat

- 450 x 600 mm

Ref.no.

65.051.731A



### Metal dividers

- Front 150 mm

Ref.no.

116A

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimensions: 450 x 600 mm
- Total load capacity 1000 kg
- Worktop in beech multiplex 40 mm



- Left: 1 x drawer, 1 x hinged door
- Middle: 1 x shelf in half depth, back panel
- Right: 1 x drawer, 1 x hinged door
- Delivery without perforated panel

Ref.no.	Dimensions (W x D x H) mm	Version
03.19.22VA	2000 x 750 x 859	Workbench
03.19.22V9A	2000 x 750 x 959	Workbench
03.81.104A	2000 x 450	perforated panel with 3 x fixing supports (without hooks)

**EXPRESS**  
**72h**

- Left: 1 x drawer, 1 x hinged door
- Middle: 1 x shelf in half depth, back panel
- Right: 3 x drawers



Ref.no.	Dimensions (W x D x H) mm
03.19.24VA	2000 x 750 x 859
03.19.24V9A	2000 x 750 x 959

- Left: 1 x drawer, 1 x hinged door
- Mittig: 1 x shelf in half depth, back panel
- Rechts: 4 x drawers



Ref.no.	Dimensions (W x D x H) mm
03.19.26VA	2000 x 750 x 859
03.19.26V9A	2000 x 750 x 959

Accessories for interior dimensions 450 x 600 mm



**Metal dividers**  
■ Front 150 mm

Ref.no.
115A



**Metal dividers**  
■ Front 150 mm

Ref.no.
113A



**Metal dividers**  
■ Front 150 mm

Ref.no.
117A



**Metal dividers**  
■ Front 200 mm

Ref.no.
118A

delivery without hooks and tools

# Workbenches and workstations

## Workbench R 24-24

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimensions: 600 x 600 mm
- Total load capacity 1000 kg
- Worktop in beech multiplex 40 mm



- Left: 5 x drawers
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.15.55VA	1500 x 750 x 859
03.15.55V9	1500 x 750 x 959



- Left: 5 x drawers
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.15.54V	1500 x 750 x 859
03.15.54V9	1500 x 750 x 959



- Left: 1 x hinged door, 1 x shelf
- Right: 3 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.15.17VA	1500 x 750 x 859
03.15.17V9A	1500 x 750 x 959



- Left: 2 x shelves 300 mm
- Right: 3 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.15.03VA	1500 x 750 x 859
03.15.03V9A	1500 x 750 x 959



- Left: 1 x drawer, 1 x hinged doors
- Right: 1 x drawer, 1 x hinged door

Ref.no.	Dimensions (W x D x H) mm
03.15.01VA	1500 x 750 x 859
03.15.01V9A	1500 x 750 x 959



- Left: 3 x drawers
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
03.15.34VA	1500 x 750 x 859
03.15.34V9A	1500 x 750 x 959

**BESTSELLER**

**EXPRESS  
72h**

Dividing s. page 4, 5 and 21

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimensions: 600 x 600 mm
- Total load capacity 1000 kg
- Worktop in beech multiplex 40 mm



- Left: 1 x drawer, 1 x hinged door
- Middle: 2 x shelves 300 mm
- Right: 1 x drawer, 1 x hinged door

Ref.no.	Dimensions (W x D x H) mm
03.20.01VA	2000 x 750 x 859
03.20.01V9A	2000 x 750 x 959

**EXPRESS**  
**72h**

- Left: 1 x hinged door, 1 x shelf
- Middle: 2 x shelves 300 mm
- Right: 4 x drawers




Ref.no.	Dimensions (W x D x H) mm
03.20.16VA	2000 x 750 x 859
03.20.16V9A	2000 x 750 x 959

- Left: 3 x drawers
- Middle: 2 x shelves 300 mm
- Right: 4 x drawers



Ref.no.	Dimensions (W x D x H) mm
03.20.17VA	2000 x 750 x 859
03.20.17V9A	2000 x 750 x 959

**Accessories for interior dimensions 600 x 600 mm**




**Ribbed rubber inserts**  
■ Front 50-200 mm

Ref.no.
140A



**Metal dividers**  
■ Front 150 mm

Ref.no.
135A



**Small parts boxes**  
■ Front 100 - 150 mm

Ref.no.
134A



**Metal dividers**  
■ Front 200 mm

Ref.no.
137A



**Adjustable height**

- Adjustable height 200 mm
- For 4 feet in a raster of 25 mm
- Load capacity each workbench 500 kg

Ref.no.
03.15.95A

Dividing s. page 4 and 5

# Workbenches and workstations

## Multi-Board – Combinations

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimensions: 450 x 600 mm
- Total load capacity 1000 kg




### Workbench T750 R 18-24

- Worktop in beech multiplex 40 mm
- Left: 1 x hinged door, 1 x shelf
- Middle: 3 x drawers
- Right: 1 x hinged door, 1 x shelf

### Multi-Board 2000 mm consists of:

- 3 x Uprights 1250 mm high
- Overhead frame and rail
- 2 x Perforated panels each 1000 x 302 mm
- 2 x Magnetic panels each 1000 x 302 mm
- 1 x Passage for electronic cables with 3 sockets and on/off-switch
- 3 x Shelves 1000 x 320 mm
- 2 x Rails for bins 450 mm
- Set of 8 hooks
- 19 x Bins in different sizes
- Optional: „Waldmann“ light 2 x 36 W, length 1280 mm



Ref.no.	Dimensions (W x D x H) mm	Version
03.19.35VA	2000 x 750 x 859	Workbench
03.19.35V9A	2000 x 750 x 959	Workbench
03.900.20.1A	2000 x 1250	Multi-Board with light
03.900.20.10B	2000 x 1250	Multi-Board without light and Overhead frame

according to photo incl. Small part boxes and hooks, without tools

- Drawers with full extension 100%
- Drawers with front height 75 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Total load capacity 1000 kg

### Workbench T 750 R 18-24

- Worktop beech multiplex 40 mm
- Left: 5 x drawers
- Middle: 3 x drawers
- Right: 1 x hinged door, 1 shelf

### Multi-Board 2000 mm consists of:

- 3 x Uprights height 1250 mm
- Overhead frame and rail
- 2 x Perforated panels each 1000 x 302 mm
- 2 x Magnetic panel each 1000 x 302 mm
- Optional: „Waldmann“ light 2 x 36 W, length 900 mm (each light)



Ref.no.	Dimensions (W x D x H) mm	Version
03.19.36VA	2000 x 750 x 859	Workbench
03.19.36V9A	2000 x 750 x 959	Workbench
03.900.20.2A	2000 x 1250	Multi-Board with light
03.900.20.20B	2000 x 1250	Multi-Board without light and Overhead frame

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimensions: 450 x 600 mm
- Total load capacity 1000 kg



**Workbench T750 R 18-24**

- Worktop beech multiplex 40 mm
- Left: 1 x shelf in half depth
- Right: 5 x drawers

**Multi-Board 1500 mm Consists of:**

- 2 x Uprights height 1250 mm
- Overhead frame and rail
- 1 x Perforated panel 1500 x 302 mm
- 1 x Shelf 1500 x 320 mm
- Set of 8 hooks
- 2 x Rails for bins 300 mm
- 12 x Bins in different sizes
- Optional: „Waldmann“ light 2 x 36 W, length 900 mm



75 FE  
100 FE  
100 FE  
150 FE  
175 FE

Ref.no.	Dimensions (W x D x H) mm	Version
03.14.15VA	1500 x 750 x 859	Workbench
03.14.15V9A	1500 x 750 x 959	Workbench
03.900.15.320A	1500 x 1250	Multi-Board with light
03.900.15.3200B	1500 x 1250	Multi-Board without light and Overhead frame


- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimensions: 600 x 600 mm
- Total load capacity 1000 kg

**Workbench T750 R 24-24**

- Worktop in beech multiplex 40 mm
- Left: 3 x drawers
- Right: 3 x drawers

**Multi-Board 1500 mm Consists of:**

- 2 x Uprights height 1250 mm
- Overhead frame and rail
- 1 x Perforated panel 1500 x 302 mm
- 1 x Magnetic panel 1500 x 302 mm
- 2 x Shelves 1500 x 320 mm
- 1 x Passage for electronic cables with 3 sockets and on/off-switch
- Set of 8 hooks
- 1 x Rails for bins 300 mm
- 20 x Bins in different sizes
- Optional: „Waldmann“ light 2 x 36 W, length 900 mm lang



200 FE  
200 FE  
200 FE  
200 FE

Ref.no.	Dimensions (W x D x H) mm	Version
03.15.33VA	1500 x 750 x 859	Workbench
03.15.33V9A	1500 x 750 x 959	Workbench
03.900.14.16A	1500 x 1250	Multi-Board with light
03.900.14.160B	1500 x 1250	Multi-Board without light and Overhead frame

according to photo incl. Small part boxes and hooks, without tools

# Mobile logistic systems

## Mobile Drawer cabinets depth 500 R 18-16

- Drawers with full extension 100%
- Load capacity each drawer 50 kg
- Grip handle

**BESTSELLER**



- 4 x drawers
- Ø 80 mm wheels
- Weight 58 kg

Ref.no.	Dimensions (W x D x H) mm
46.301BR80	530 x 500 x 760

- 4 x castor wheels Ø 80 mm, 2 x with locking device
- Drawer interior dimension: 450 x 400 mm



- 5 x drawers
- Ø 80 mm wheels
- Weight 63 kg

Ref.no.	Dimensions (W x D x H) mm
46.500BR80	530 x 500 x 760



- Ribbed rubber inserts**
- Front 50-200 mm

Ref.no.
65.046.531A



- Metal dividers**
- Front 100 mm

Ref.no.
146-139B



- Small parts boxes**
- Front 100 mm

Ref.no.
146-132A



- Metal dividers**
- Front 200 mm

Ref.no.
146-144A



- Non-slip mat**
- B x T: 530 x 500 mm

Ref.no.
65.040.530A

## Mobile Drawer cabinets depth 500 R 24-16

- Drawer full extension 100 % (FE)
- Load capacity each drawer 50 kg
- Grip handle



- 5 x drawers
- Weight 90 kg

Ref.no.	Dimensions (W x D x H) mm
68.221AM	680 x 500 x 1004

- 4 x castor wheels Ø 125 mm, 2 x with locking device
- Drawer interior dimension: 600 x 400 mm



- 7 x drawers
- Weight 102 kg

Ref.no.	Dimensions (W x D x H) mm
68.700AM	680 x 500 x 1004



- Ribbed rubber inserts**
- Front 50-200 mm

Ref.no.
65.068.530A



- Small parts boxes**
- Front 100 mm

Ref.no.
168-132A



- Metal dividers**
- Front 100 mm

Ref.no.
168-139A




- Metal dividers**
- Front 150 mm

Ref.no.
168-135A



- Metal dividers**
- Front 200 mm

Ref.no.
168-144A



- Non-slip mat**
- WxD: 680 x 500 mm

Ref.no.
65.060.530A

**Workshop trolleys T500 R 18-16**

- Drawers with full extension 100%
- With safety triggers each drawer
- Drawer interior dimension: 450 x 400 mm



- Left: 4 x drawers
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
04.11.08A	1060 x 500 x 1005

- Grip handle
- 4 x Castor wheels Ø 80 mm, 2 x with locking device
- Roll-off edge and ribbed rubber inserts



- Left: 5 x drawers
- Right: 1 x hinged door and 1 x shelf

Ref.no.	Dimensions (W x D x H) mm
04.11.05A	1060 x 500 x 1005

**Mobile workbench T500 R 18-16**

- Drawers with full extension 100%
- Load capacity 50 kg
- Drawer interior dimension: 450 x 400 mm
- Worktop in beech multiplex 25 mm
- 4 x Castor wheels Ø 80 mm, 2 x with locking device
- Grip handle



- Left: 2 x shelves
- Right: 3 x drawers

Ref.no.	Dimensions (W x D x H) mm
04.512.03A	1250 x 540 x 880



- Left: 2 x shelves, right: 4 x drawers
- 2 x Uprights 650 mm, 1 x perforated panel, 1 x magnetic panel


Ref.no.	Dimensions (W x D x H) mm	Version
04.512.04A	1250 x 540 x 880	Mobile workbench
03.900.12.02A	1000 x 600	Multi-Board

**Accessories for interior dimensions 450 x 400 mm**



- Ribbed rubber inserts**
- Front 50-200 mm

Ref.no.
65.046.531A




- Small parts boxes**
- Front 100 mm

Ref.no.
146-132A



- Trough plates**
- Front 100 mm

Ref.no.
146-130A



- Metal dividers**
- Front 100 mm

Ref.no.
146-139B



- Metal dividers**
- Front 150 mm

Ref.no.
146-135A



- Metal dividers**
- Front 200 mm

Ref.no.
146-144A

Delivery without decoration and hooks

# Mobile logistic systems

## Mobile workbench depth 600

### Mobile workbench T600

- Worktop in beech multiplex 25 mm
- Ball guided rails
- Simple extension 88 %, load capacity each drawer 35 kg
- Drawer interior dimension: 450 x 525 mm



### Mobile workbench

- 1 x hinged door
- 2 x screwed wooden shelves

Ref.no.	Dimensions (W x D x H) mm
04.12.80A	1200 x 600 x 820

- Chassis with 2 x wheels and 2 x castor wheels with locking device Ø 200 mm
- Grip handle
- Total load capacity 500 kg



### Mobile workbench

- 1 x hinged door
- 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
04.12.82A	1200 x 600 x 820


## Accessories for interior dimensions 450 x 525 mm



### Small parts boxes

- Front 100 mm


Ref.no.
128-7A



### Metal dividers

- Front 100 mm


Ref.no.
128-3A



### Metal dividers

- Front 100 mm


Ref.no.
128-1A



### Small parts boxes

- Front 100 mm

Ref.no.
128-5A



### Small parts boxes

- Front 100 mm

Ref.no.
128-6A

## Trolley

- 4 x wheels Ø 125 mm, 2 x with locking device
- Load capacity 360 kg
- Frame in steel tube 40 x 40 x 2 mm



### Assembling trolley

- Worktop in beech multiplex 40 mm
- Shelf in beech multiplex 25 mm
- Weight 68 kg

Ref.no.	Dimensions (W x D x H) mm
04.12.01A	1200 x 750 x 859
04.15.01A	1500 x 750 x 859

- Chassis with 2 x wheels and 2 x castor wheels with locking device Ø 125 mm
- Load capacity 300 kg
- Frame in steel tube 40 x 20 x 2 mm



- 2 x wooden floors

Ref.no.	Dimensions (W x D x H) mm
04.900.04A	900 x 620 x 860


**Mobile workbench T736 R 18-24**

- Drawers with full extension 100%
- Drawers with front height 75 mm - load capacity 70 kg
- Drawers with front height 75 mm and more - load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- 4 x Wheels Ø 125 mm, 2 x with locking device
- Grip handle



- Worktop beech multiplex 40 mm
- Left: 1 x hinged door
- Right: 4 x drawers
- Weight 139 kg

Ref.no.	Dimensions (W x D x H) mm
04.12.05VA	1250 x 750 x 859



**Divider set T736 R 18-24**

- Ribbed rubber inserts Front 50-200 mm
- Small parts boxes Front 100-150 mm
- Metal dividers Front 150 mm

Ref.no.
500/583A

**BESTSELLER**



- Worktop beech multiplex 40 mm
- Left: 4 x drawers
- Right: 1 x hinged door and 1 x shelf
- Weight 140 kg

Ref.no.	Dimensions (W x D x H) mm
04.12.19VA	1250 x 750 x 935

**EXPRESS 72h**



**Perforated panel**

- With 2 x fixing supports


Ref.no.	Dimensions (W x D x H) mm
03.81.102A	1000 x 450

**Combination**

**Mobile workbench T736 R 18-24**

- Consists of 04.12.19VA + 03.81.102A + 07.45.25A + 500/583A

Ref.no.
04.12.19VAK



**Set of 18 hooks**

Ref.no.	Version
07.45.25A	18 tlg.

# Mobile logistic systems

## Mobile workbench depth 750 mm R 18-24

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimension: 450 x 600 mm
- Worktop in beech multiplex 40 mm
- Chassis with 2 x wheels and 2 x castor wheels with locking device Ø 200 mm
- 1 x Grip handle
- Cylinder lock 2 keys
- Total load capacity 700 kg
- Dividing Sets s. page 13, 18 and 19



- Left: 4 x drawers
- Right: 5 x drawers

Ref.no.	Dimensions (W x D x H) mm
04.12.29VA	1250 x 750 x 995



- Left: 4 x drawers
- Right: 4 x drawers

Ref.no.	Dimensions (W x D x H) mm
04.12.28VA	1250 x 750 x 995

## Mobile workbench depth 750 mm R 24-24

- Drawers with full extension 100%, load capacity 100 kg
- Drawer interior dimension: 600 x 600 mm
- 4 x Swivel wheels ø125 mm, 2 with brake
- 1 x Grip handle
- Worktop in beech multiplex 40 mm
- Cylinder lock 2 keys
- Total load capacity 400 kg
- Dividing Set s. page 4, 5, 21 and 24



### Mobile workbench

- Left: 4 x drawers
- Right: 1 x hinged door

Ref.no.	Dimensions (W x D x H) mm
04.15.41VA	1500 x 750 x 859



- Left: 3 x drawers
- Right: 3 x drawers

### Multi-Board

- 2 x Uprights, 1 x perforated panel, 1 x magnetic panel
- 1 x Shelf 320 mm
- 1 x Overhead frame, 1 x rail

Ref.no.	Dimensions in mm	Version
04.15.33VA	1500 x 750 x 859	Mobile workbench
03.900.15.30A	1500 x 1250	Multi-board

- All models are available fixed or mobile



**PC-Cabinet mobile**

- 1 x Drawer for keyboard with mouse-shelf
- 1 x Shelf
- 2 x Hinged doors
- 1 x Raised desk
- 1 x Perforated panel with flat screen mounting
- 4 x Sockets
- Square perforation in back wall for ventilation
- 4 x Castor wheels Ø 125 mm, 2 x with locking device

**PC-Cabinet mobile**

- 1 x Worktop in beech multiplex 25 mm
- 1 x Drawer
- 1 x Shelf
- 1 x Hinged door
- 4 x Sockets
- Square perforation in back wall for ventilation
- 4 x Castor wheels Ø 125 mm, 2 x with locking device

Ref.no.	Dimensions (W x D x H) mm
04.680.C125A	680 x 500 x 1610

Ref.no.	Dimensions (W x D x H) mm	Version
04.530.02A	530 x 500 x 1000	FE 100 %, 50 kg

Standing aid and Working chairs



**Standing aid with ergonomic comfort seating, PU black**

- Seat height 600 - 800 mm
- Low maintenance integral foam
- Tilted seating with 15 degrees adjustable
- 16 degrees horizontal all-round swivel

Ref.no.
05.96.28A



**Working chair, PU black with wheels**

- Seat height 470 - 670 mm
- Seat tilt 12 degrees
- Ergonomic design, asynchronous mechanic for continuous adjustment of seat and backrest tilt

Ref.no.
05.96.22A



**Working chair, PU black**

- Seat height 520 - 720 mm
- Large polyurethane and cushion seats and backrests
- Seat tilt 12 degrees
- Ergonomic design, asynchronous mechanic for continuous adjustment of seat and backrest tilt
- Synthetic star base

Ref.no.
05.96.46A

# Cabinet with hinged doors

## Cabinet with hinged doors Type 105 + 110

**BESTSELLER**



### Cabinet with hinged doors Type 110

- 2 x Shelves
- 1 x Metal border
- 2 x Drawers
- Without roller support

Ref.no.	Dimensions (W x D x H) mm
04.110B	1000 x 500 x 1000

### Roller support

- 4 x Castor wheels Ø 125 mm, 2 x with brake

Ref.no.	Dimensions (W x D x H) mm
04.110.RU125	1000 x 500 x 150



### Cabinet with hinged door Type 105

- 2 x Shelves
- 1 x Metal border
- 1 x Drawer

Ref.no.	Dimensions (W x D x H) mm
04.105B	500 x 500 x 1000



### Combination

- Consists of Cabinet with hinged door Type 105+ roller support Ø 125 mm

Ref.no.
04.105K125

**BESTSELLER**



### Cabinet with hinged doors

Ref.no.	Dimensions (W x D x H) mm	Version
04.155.04A	930 x <b>500</b> x 1950	Cabinet with hinged doors, incl. 4 shelves
04.155.04FB	Load capacity 80 kg	Extra shelves
04.156.04A	930 x <b>600</b> x 1950	Cabinet with hinged doors, incl. 4 shelves
04.156.04FB	Load capacity 80 kg	Extra shelves

Both cabinets with hinged doors on this page in RAL 7035/5012, housing light grey and doors in light blue or totally in light grey, other colours on demand.



### Cabinet with hinged doors

Ref.no.	Dimensions (W x D x H) mm	Version
04.155.12A	1200 x <b>500</b> x 1950	Cabinet with hinged doors, incl. 4 shelves
04.155.12FB	Load capacity 80 kg	Extra shelves
04.156.12A	1200 x <b>600</b> x 1950	Cabinet with hinged doors, incl. 4 shelves
04.156.12FB	Load capacity 80 kg	Extra shelves

# Racks

## Shelf rack

Racks

### Shelf rack with 5 shelves

- Load cap. 200 kg each shelf
- Easy plug assembling
- Galvanised surface
- Edges of the shelves 40 mm
- Height adjustment in steps of 25 mm
- Outside dimension basic rack: width 1060 mm,
- Outside dimension add-on rack: width 1010mm
- Outside depth: depth of the shelf + 35 mm

**BESTSELLER**



### Basic module

Ref.no.	Dimensions (W x D x H) mm	Fold load in kg
05.1004G	1000 x 400 x 2000	225
05.1005G	1000 x 500 x 2000	230
05.1006G	1000 x 600 x 2000	240

### Add-on module

Ref.no.	Dimensions (W x D x H) mm	Fold load in kg
05.1004A	1000 x 400 x 2000	225
05.1005A	1000 x 500 x 2000	230
05.1006A	1000 x 600 x 2000	240

### Shelf with 4 supports

Ref.no.	Dimensions (W x D) mm	Fold load in kg
05.Z10040M	1000 x 400	225
05.Z10050M	1000 x 500	230
05.Z10060M	1000 x 600	240



### Rack-Drawer cabinet

- 7 x drawers, drawer interior dimension: 900 x 400 mm
- Drawer full extension 100 %
- Load capacity each drawer 50 kg

Ref.no.	Dimensions (W x D x H) mm	Version
05.1005-3A	1000 x 500 x 2000	Basic shelf rack with 3 shelves
05.1005A	1000 x 500 x 2000	Add-on rack with 5 shelves
90.421A	980 x 500 x 1019	Drawer cabinet




Dividing see pages 7

# Electronically controlled drawer cabinet

Tool-Server-Modular (TSM®)

Tool dispensing system

- Drawer cabinets including complete storing software
- Drawers with front height 50 mm - load capacity 60 kg
- Drawers with front height 100 mm - load capacity 100 kg
- Drawer full extension 100 % (FE)
- Drawer interior dimension: 600 x 600 mm
- All modules including **pallet truck plinth** in the housing colours
- Additional commissioning, training and transport costs




More information you'll find in the TSM catalogue 2017/18



50  
50  
100  
100  
100  
150  
150  
200

Software Video



50  
50  
100  
100  
100  
150  
150  
200

## TSM® - Basic module

- 8 x drawers
- Incl. storage and management software
- With touch-display

Ref.no.	Dimensions (W x D x H) mm
TS5G00700080A	700 x 725 x 1019


## TSM® - Extension module

- 8 x drawers
- Incl. storage and management software for link with basic cabinet

Ref.no.	Dimensions (W x D x H) mm
TS5A00700080A	700 x 725 x 1019

## Drawer divider


R 24-24



### Trough plates

- Front 50 mm


Ref.no.
TS-7-04A



### Small parts boxes

- Front 50 mm


Ref.no.
TS-7-13-050A



### Metal dividers

- Front 100 mm


Ref.no.
TS-7-27-100A



### Metal dividers

- Front 150 mm


Ref.no.
TS-7-26-150A



### Metal dividers

- Front 200 mm

Ref.no.
TS-7-20-200A



### Electronic divider

- Front 100 mm

Ref.no.
TS7K160-100A

exclusively available in the UK from

# Systems Design

www.systemsdesignuk.com

Tel + 44 (0) 1892 256007